

正 誤 表

「呼吸器感染症のすべて」

下記の箇所に誤りがございました。謹んでお詫びし訂正いたします。

頁	該当箇所	誤	正																																																						
177	表 2	<p>表2 びまん性嚥下性細気管支炎 (DAB) とびまん性汎細気管支炎 (DPB) の臨床像の違い</p> <table border="1"> <thead> <tr> <th></th> <th>DAB (n=25)</th> <th>DPB (n=16)</th> </tr> </thead> <tbody> <tr> <td>誤嚥、嘔吐の発生</td> <td>14/25 (56%)</td> <td>2/16 (12.5%)</td> </tr> <tr> <td>急性発症</td> <td>12/25 (48%)</td> <td>0</td> </tr> <tr> <td>入院時の症状、徴候</td> <td>4/13 (30.8%)</td> <td>6/13 (46.2%)</td> </tr> <tr> <td>・咳</td> <td></td> <td></td> </tr> <tr> <td>・喀痰</td> <td>12/20 (60.0%)</td> <td>9/14 (64.3%)</td> </tr> <tr> <td>・呼吸困難</td> <td>3/22 (13.6%)</td> <td>5/15 (33.3%)</td> </tr> <tr> <td>・ラ音</td> <td>9/17 (52.9%)</td> <td>8/8 (100%)</td> </tr> <tr> <td>・喘鳴</td> <td>2/17 (11.8%)</td> <td>5/14 (35.7%)</td> </tr> </tbody> </table> <p>DAB : diffuse aspiration bronchiolitis (びまん性嚥下性細気管支炎)、DPB : diffuse panbronchiolitis (びまん性汎細気管支炎) (文献5より引用)</p>		DAB (n=25)	DPB (n=16)	誤嚥、嘔吐の発生	14/25 (56%)	2/16 (12.5%)	急性発症	12/25 (48%)	0	入院時の症状、徴候	4/13 (30.8%)	6/13 (46.2%)	・咳			・喀痰	12/20 (60.0%)	9/14 (64.3%)	・呼吸困難	3/22 (13.6%)	5/15 (33.3%)	・ラ音	9/17 (52.9%)	8/8 (100%)	・喘鳴	2/17 (11.8%)	5/14 (35.7%)	<p>表2 誤嚥性肺炎 (APN) とびまん性嚥下性細気管支炎 (DAB) の臨床像の違い</p> <table border="1"> <thead> <tr> <th></th> <th>APN (n=25)</th> <th>DAB (n=16)</th> </tr> </thead> <tbody> <tr> <td>誤嚥、嘔吐の発生</td> <td>14/25 (56%)</td> <td>2/16 (12.5%)</td> </tr> <tr> <td>急性発症</td> <td>12/25 (48%)</td> <td>0</td> </tr> <tr> <td>入院時の症状、徴候</td> <td>4/13 (30.8%)</td> <td>6/13 (46.2%)</td> </tr> <tr> <td>・咳</td> <td></td> <td></td> </tr> <tr> <td>・喀痰</td> <td>12/20 (60.0%)</td> <td>9/14 (64.3%)</td> </tr> <tr> <td>・呼吸困難</td> <td>3/22 (13.6%)</td> <td>5/15 (33.3%)</td> </tr> <tr> <td>・ラ音</td> <td>9/17 (52.9%)</td> <td>8/8 (100%)</td> </tr> <tr> <td>・喘鳴</td> <td>2/17 (11.8%)</td> <td>5/14 (35.7%)</td> </tr> </tbody> </table> <p>APN : aspiration pneumonia (誤嚥性肺炎)、 DAB : diffuse aspiration bronchiolitis (びまん性嚥下性細気管支炎) (文献5より引用)</p> <p>※赤字が修正箇所</p>		APN (n=25)	DAB (n=16)	誤嚥、嘔吐の発生	14/25 (56%)	2/16 (12.5%)	急性発症	12/25 (48%)	0	入院時の症状、徴候	4/13 (30.8%)	6/13 (46.2%)	・咳			・喀痰	12/20 (60.0%)	9/14 (64.3%)	・呼吸困難	3/22 (13.6%)	5/15 (33.3%)	・ラ音	9/17 (52.9%)	8/8 (100%)	・喘鳴	2/17 (11.8%)	5/14 (35.7%)
	DAB (n=25)	DPB (n=16)																																																							
誤嚥、嘔吐の発生	14/25 (56%)	2/16 (12.5%)																																																							
急性発症	12/25 (48%)	0																																																							
入院時の症状、徴候	4/13 (30.8%)	6/13 (46.2%)																																																							
・咳																																																									
・喀痰	12/20 (60.0%)	9/14 (64.3%)																																																							
・呼吸困難	3/22 (13.6%)	5/15 (33.3%)																																																							
・ラ音	9/17 (52.9%)	8/8 (100%)																																																							
・喘鳴	2/17 (11.8%)	5/14 (35.7%)																																																							
	APN (n=25)	DAB (n=16)																																																							
誤嚥、嘔吐の発生	14/25 (56%)	2/16 (12.5%)																																																							
急性発症	12/25 (48%)	0																																																							
入院時の症状、徴候	4/13 (30.8%)	6/13 (46.2%)																																																							
・咳																																																									
・喀痰	12/20 (60.0%)	9/14 (64.3%)																																																							
・呼吸困難	3/22 (13.6%)	5/15 (33.3%)																																																							
・ラ音	9/17 (52.9%)	8/8 (100%)																																																							
・喘鳴	2/17 (11.8%)	5/14 (35.7%)																																																							
177	表 2	<p>表3 血液生化学的指標からみたびまん性嚥下性細気管支炎 (DAB) とびまん性汎細気管支炎 (DPB) の違い</p> <table border="1"> <thead> <tr> <th></th> <th>DAB</th> <th>DPB</th> <th>p</th> </tr> </thead> <tbody> <tr> <td>WBC値 (/mm³)</td> <td>11,892±1045</td> <td>8,957±728</td> <td><.05</td> </tr> <tr> <td>neutrophils (%)</td> <td>82.9±2.1</td> <td>74.8±2.9</td> <td><.05</td> </tr> <tr> <td>γ-グロブリン (%)</td> <td>30.0±2.2</td> <td>23.8±1.3</td> <td><.05</td> </tr> </tbody> </table> <p>(文献4、5より引用)</p>		DAB	DPB	p	WBC値 (/mm ³)	11,892±1045	8,957±728	<.05	neutrophils (%)	82.9±2.1	74.8±2.9	<.05	γ-グロブリン (%)	30.0±2.2	23.8±1.3	<.05	<p>表3 血液生化学的指標からみた誤嚥性肺炎 (APN) とびまん性嚥下性細気管支炎 (DAB) の違い</p> <table border="1"> <thead> <tr> <th></th> <th>APN</th> <th>DAB</th> <th>p</th> </tr> </thead> <tbody> <tr> <td>WBC値 (/mm³)</td> <td>11,892±1045</td> <td>8,957±728</td> <td><.05</td> </tr> <tr> <td>neutrophils (%)</td> <td>82.9±2.1</td> <td>74.8±2.9</td> <td><.05</td> </tr> <tr> <td>γ-グロブリン (%)</td> <td>30.0±2.2</td> <td>23.8±1.3</td> <td><.05</td> </tr> </tbody> </table> <p>(Matsuse T et al: Importance of diffuse aspiration bronchiolitis caused by chronic occult aspiration in the elderly. Chest 110: 1289-93, 1996より引用)</p> <p>※赤字が修正箇所</p>		APN	DAB	p	WBC値 (/mm ³)	11,892±1045	8,957±728	<.05	neutrophils (%)	82.9±2.1	74.8±2.9	<.05	γ-グロブリン (%)	30.0±2.2	23.8±1.3	<.05																						
	DAB	DPB	p																																																						
WBC値 (/mm ³)	11,892±1045	8,957±728	<.05																																																						
neutrophils (%)	82.9±2.1	74.8±2.9	<.05																																																						
γ-グロブリン (%)	30.0±2.2	23.8±1.3	<.05																																																						
	APN	DAB	p																																																						
WBC値 (/mm ³)	11,892±1045	8,957±728	<.05																																																						
neutrophils (%)	82.9±2.1	74.8±2.9	<.05																																																						
γ-グロブリン (%)	30.0±2.2	23.8±1.3	<.05																																																						
242	右段 30 行目 処方例	または azithromycin(ジスロマック(R)SR) 1回2g, 初回1 回限り.	削除																																																						

2014年8月28日

株式会社南江堂